



Thomas Vils Pedersen (vils@life.ku.dk) Department of Basic Sciences and Environment, University of Copenhagen, 1871 Frederiksberg C, Denmark, ***A class of weighted convolution Fréchet algebras.***

ABSTRACT. For an increasing sequence (ω_n) of algebra weights on \mathbb{R}^+ we study various properties of the Fréchet algebra $A(\omega) = \bigcap_n L^1(\omega_n)$ obtained as the intersection of the weighted Banach algebras $L^1(\omega_n)$. We show that every endomorphism of $A(\omega)$ is standard, if for all $n \in \mathbb{N}$ there exists $m \in \mathbb{N}$ such that $\omega_m(t)/\omega_n(t) \rightarrow \infty$ as $t \rightarrow \infty$. Moreover, we characterise the derivations on this algebra: If for all $n \in \mathbb{N}$ there exists $m \in \mathbb{N}$ such that $t*\omega_m(t)/\omega_n(t)$ is bounded on \mathbb{R}^+ , then the derivations on $A(\omega)$ are exactly the linear maps D of the form $D(f) = (Xf) * \mu$ for $f \in A(\omega)$, where μ is a measure in $B(\omega) = \bigcap_n M(\omega_n)$ and $(Xf)(t) = tf(t)$ for $t \in \mathbb{R}^+$ and $f \in A(\omega)$. If the condition is not satisfied, we show that $A(\omega)$ has no non-zero derivations. Finally, we characterise the derivations from $A(\omega)$ to its dual space.